


This drawing is provisional and subject to our reconfirmation and/or revision without notice.

*** TIPW 4S20 (01) *** (2100 1121) 00-06-26




Coordinates			
Mark	X	Y	R
GM	0	0	
DH1	-3975	1500	
DH2	3550	-850	
a1	1031	2000	2500
a2	-1031	2000	2500
a3	-1031	-2000	2500
a4	1031	-2000	2500
b1	996	4500	200
b2	650	4700	200
b3	-650	4700	200
b4	-996	4500	200

△7	Quantity	1/1000 mm	Cal. No. : 4S20
△6	Unit		Parts :
△5	Scale	10:1	Name : Frame for Case
△4	Date		Drawing No. : 4S20C0000
△3	Drawn		
△2	Checked	T. Hiruta	
△1	Approved		
Material	General Tolerances		
Heat Treatment	Dimensions		
Hardness	Angles		
Plating			

MIYOTA

This drawing is provisional and subject to our reconfirmation and/or revision without notice.


*** T I P W (01) *** (2100 1121) 00-06-14



7		Quantity		Cal. No. :	4S20-02A
6		Unit	1/1000 mm	Parts:	
5		Scale	10:1	Name:	Indications for Dial
4		Date		Drawing No. : 4S20D000	
3		Drawn			
2		Checked	T. Hiruta		
1		Approved			
Material				MIYOTA	
Heat Treatment		General Tolerances			
Hardness		Dimensions			
Plating		Angles			

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

065-398 (01) *** (2100 1121) 00-06-22



7			Quantity		Cal. No. :
6			Unit	1/1000 mm	
5			Scale	20:1	Parts:
4			Date		065-398
3			Drawn		Name:
2			Checked	T. Hiruta	SETTING STEM
1			Approved		Drawing No. : 3980S000
Material					
Heat Treatment		General Tolerances		MIYOTA	
Hardness		Dimensions			
Plating		Angles			