




This drawing is provisional and subject to our reconfirmation and/or revision without notice.

*** TIPW FS00 (01) *** (2100 1121) 01-12-11

DH1~DH2=20947 (±30)

Coordinates			
Mark	X	Y	R
GM	0	0	—
DH1	-10813	-27222	—
DH2	10022	-4886	—
a1	8364	8889	1200
a2	-8455	8802	1200
a3	-8078	-10529	2000
a4	-7303	-11081	2000
a5	8494	-10197	2000
a6	9203	-9562	2000





Material	General Tolerances	Quantity	Unit	1/1000 mm	Cal. No. : FS00
Heat Treatment	Dimensions	Scale	Scale	8:1	Parts:
Hardness	Angles	Date	Drawn		Name: T. Hiruta
Plating		Checked	Approved		Frame for Case
		Approved			Drawing No. : FS00C0000

MIYOTA


This drawing is provisional and subject to our reconfirmation and/or revision without notice.

*** T I P W *** FS00-00A (01) *** (2100 1121) 01-12-11 30.0



7		Quantity		Cal. No. :	FS00-00A
6		Unit	1/1000 mm	Parts:	
5		Scale	6:1	Name:	Indications for Dial
4		Date		Drawing No. :	
3		Drawn		MIYOTA	
2		Checked	T. Hiruta		
1		Approved			
Material					
Heat Treatment		General Tolerances			
Hardness		Dimensions			
Plating		Angles			

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△5			Quantity		Cal.NO.:
△4			Unit	1 / 1000 mm	
△3			Scale	20 : 1	Parts No.:
△2			Date		065-549
△1			Drawn		
Mark	Date	Description	Appro.	Checked	M. Kobayashi
Alterations			Approved	Name:	
			SETTING STEM		
Material					Drawing No.: 5490S000
Heat Treatment					MIYOTA CITIZEN WATCH CO., LTD. TOKYO, JAPAN
Hardness					
Plating					