





This drawing is provisional and subject to our reconfirmation and/or revision without notice.

xxx T1PW 6P20 (01) xxx (2100 1121 ) 01-02-07

DH5~DH6=22287 (±20)

Coordinates			
Mark	X	Y	R
GM	0	0	—
DH5	-9759	6900	—
DH6	8251	-7500	—
a1	2351	11100	200
a2	7235	9131	200
a3	10800	3490	500
a4	10800	-3490	500
a5	3490	-10800	500
a6	-2700	-11100	200
a7	-5389	-10216	300
a8	-10800	-3490	500
a9	-10800	3490	500
a10	-3490	10800	500
b1	9591	6360	150
b2	7928	8331	150
b3	-5773	9946	150
b4	-7839	8415	150
b5	-9572	-6374	150
b6	-7916	-8342	150
b7	9196	-6906	150
b8	10501	-4690	150



Material	Quantity	Unit	Scale	Date	Checked	Approved	Name:
Heat Treatment	1/1000	mm	7:1			T. Hiruta	Frame for Case
Hardness							
Plating							
General Tolerances							Drawing No.: 6P20C0000
Dimensions							
Angles							



Cal. No.: 6P20

Parts:

MIYOTA

This drawing is provisional and subject to our reconfirmation and/or revision without notice.


\*\*\* T I P W (2100 1121) 01-02-07 \*\*\*  
 6P20-00A (01) \*\*\*



7		Quantity		Cal. No. :	6P20-00A
6		Unit	1/1000 mm	Parts:	
5		Scale	5:1	Name:	Indications for Dial
4		Date		Drawing No. :	
3		Drawn		<b>MIYOTA</b>	
2		Checked	T. Hiruta		
1		Approved			
<b>Material</b>					
Heat Treatment		General Tolerances			
Hardness		Dimensions			
Plating		Angles			

2010/05/12 (17:15:34)

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



⑤			Quantity		Cal.NO.:
④			Unit	1/1000 <sub>mm</sub>	
③			Scale	20:1	Parts No.:
②			Date		065-379
①			Drawn		
Mark	Date	Description	Appro.	Checked	Name:
		Alterations	Approved	T.Hiruta	SETTING STEM
Material					Drawing No.:3790S000
Heat Treatment			General Tolerances	<b>MIYOTA</b> CITIZEN WATCH CO.,LTD. TOKYO,JAPAN	
Hardness			Dimensions		
Plating			Angles		